BOAT CREW TRAINING Towing

BCM 07-03 to -07 AUX


COXN 08-01 to -0

BCH 16114.1B Ch 2D & Ch 3

Drill Sheet: Towing

Crew Duties: Towing Types of Tows

- Stern Tow
- Alongside Tow



Preparations

- Crew:
 - Advise persons on disabled boat to don PFDs, sit on seats or in boat center
 - Ask for any injuries
 - Ask number of Persons on Board (POB)
 - Ask for any dangers (e.g., boat is taking on water)
 - Prepare lines
- Coxswain
 - Circles disabled boat, gains situational awareness
 - Determines stern tow or alongside tow
 - Bridle connections
 - Brief crew / distressed boat
 - Report / toiw lights on

Pass Heaving Line

Coxswain :

- Maneuver boat to position
- Order pass heaving line " Take a shot

Crew:

• Attach towline to heaving line (becket)

(Attach one end to the towing cleat on your boat !)

- Instruct POB other boat to take cover "Heads UP!"
- Heave line (underhand, high arc) over other boat
 - "line in the water"
- Instruct disabled to pull in and attach the tow line





Stern Tow

Coxswain:

- * Set initial course , safe towing speed (4 kts) Crew:
- * Brief disabled on hand signals, safety instructions
 - * Tow watch
 - Behavior of tow line & vessel

Keep Coxswain Informed of Status

Crew Duties: Towing Watch

- Observe how tow is riding
 - Keep coxswain informed
 - Adjust scope of tow per coxswain order
- Ensure chafing gear is in place
- Stand to side of towline
- Be prepared for emergency breakaway
 - Knife to cut tow rope

Transition to Alongside Tow

Coxswain:

- Determine backdown or free approach
 - Backdown- towline remains attached to disabled
 - Free- towline pulled in
 - Brief crew

Crew:

- *Tend tow line
 - * Rig fenders
 - * Prepare towing lines

Backdown Approach

- Cx / Cr:
 - Slow speed, shorten tow, determine side
 - Haul in towline as approaching closure
 - Keep towline away from prop
 - Leave boat lengths in water
 - Cx directs Cr to move towline to cleat on disabled or replace with another line


Free Approach

Cx / Cr:

- Slow speed, shorten tow
- Cx directs break the tow on disabled.
- Cr hauls in line and fakes line out of way
- Cx maneuvers boat to enable Cr to pass towing lines (1 thru 4)

Crew Duties: Towing Alongside Tow

- Rig fenders per coxswain order
- Make lines ready
 - #1- Bow line
 - #2-Towing strap
 - #3- Backing strap
 - #4- Stern line



Rig Towlines

- Cx / Cr
 - \circ Rig lines in order (eye to disabled)
 - 1 2 4 3 (emergency: 1-2 –go)
 - Reverse slow, tighten forward lines (1, 2)
 - Forward slow, tighten aft lines (3, 4)
 - Check turn ability to starboard, port

Moor Disabled Vessel

- Coxswain:
 - Determine approach
 - Brief crew & disabled re. procedures / communication
 - Assign pointer
 - Maneuver

Crew:

May move to disabled to assist mooring

 https://drive.google.com/file/d/1AjEYW1QVDBUxqqgtPDakETC KyzA8Wd4q/view