

Kidde Fire Extinguisher Recall

November 2, 2017

In conjunction with the U.S. Consumer Product Safety Commission (CPSC), Kidde announced a recall to replace certain Kidde fire extinguishers. The replacement program was initiated because certain fire extinguishers can become clogged or require excessive force to activate, posing a risk of failure to discharge. In addition, the nozzle can detach with enough force to pose an impact hazard. The product recall involves two styles of Kidde disposable fire extinguishers: plastic handle fire extinguishers and plastic push-button fire extinguishers.

RECALL IDENTIFICATION GUIDE

At Kidde, the safety of our customers is our priority. We have identified a potential product safety issue related to certain fire extinguishers.

As a result, Kidde is voluntarily recalling these extinguishers. This guide will help you identify whether your fire extinguisher is included in the recall, and show you where to find the information needed to process your request for a free replacement.


Affected Fire Extinguishers with Plastic Handles

There are two styles of fire extinguishers included in the recall: certain plastic handle fire extinguishers and push-button Pindicator fire extinguishers.

If the extinguisher has a gauge, the first thing to look for is a vertically oriented pull pin that is either fixed with two connections or hanging with a single connection.

RECALLED

Certain affected fire extinguishers also have a straight plastic handle.



RECALLED

Affected Push-Button Pindicator Fire Extinguishers The other type of affected extinguisher is the push-button Pindicator design. These extinguishers have push buttons, and a T-shaped pull pin and a loop handle. These units come in two sizes and are either red or white.



Note to Personal Watercraft Owners:

If your push-button Pindicator model is used with a personal watercraft, Kidde does not currently have an exact replacement for it, but will provide a replacement that is U.S. Coast Guard rated, and similar in size. While it may not fit in the same location as the extinguisher that you currently have, there may be another space on your watercraft where the extinguisher can be stored or mounted.



Consumer Contact:

Kidde toll-free at 855-271-0773 from 8:30 a.m. to 5 p.m. ET Monday through Friday, 9 a.m. to 3 p.m. ET Saturday and Sunday, or online at www.kidde.com and click on "Product Safety Recall" for more information.